



Product environmental attributes - THE ECO DECLARATION

Brand *	RICOH	Logo		
Company name *	RICOH Company Ltd.			
Contact information *		K		
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Colour Copier			
Commercial name *	MP C2550			
Model number *	Aficio MP C2550			
Issue date *	21 October 2009			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control	\boxtimes	
	such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Aficio MP C2550		
Issue date *	21 October 2009	Logo	RICOH

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB)	\boxtimes		
	and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	$\overline{\boxtimes}$		
	at least 48% per mass of chlorine in the SCCP as specified in Norwegian regulation relating to restrictions			
	on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as			
	specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in	\boxtimes	Ш	
D0	76/769/EEC, amendment 94/27/EEC			
P2	Batteries (CALCET/EEC)	N 4		
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and	\boxtimes	Ш	
P2.2*	labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC) If batteries are used in the product they do not contain mercury in concentrations higher than specified in		_	$\overline{}$
P2.2	91/157/EEC		Ш	Ш
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous	X		
1 2.0	substances and safe removal method is listed in the user manual (91/157/EEC)		ш	ш
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	X		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC	$\overline{\boxtimes}$	Ħ	$\overline{}$
_	after June, 20th 2007		ш	ш
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the	X		
	EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo cond	\boxtimes		
	uctor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than			
	specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in	\boxtimes		
	(76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC,	\boxtimes		
	and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in			
Dr	accordance with (99/45/EC & 2001/58/EC) is available.			
P5 P5.1*	Product packaging The sum of the concentration levels of lead codmium marsury and havevalent abromium present in		_	
P5.1"	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in	\boxtimes		
P5.2*	packaging or packaging components does not exceed 0,01% by weight (94/62/EC). Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
	, , , , , , , , , , , , , , , , , , , ,		<u> </u>	- - -
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information	<u> </u>		<u> </u>
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Aficio MP C2550		
Issue date *	21 October 2009	Logo	RICOH

Produc	t environmental	attributes - Market require Requirement	ments - Environmental conscious design met			
Item	*=mandatory to		regarding each item may be found under P14.	Yes	No	n.a.
P7	Design					
P7.1*	Disassembly, re		agaily aggraphs			
		to be treated separately are			<u> </u>	<u> </u>
P7.2*		in covers/housing have no			屵	ᆜ
P7.3*	•	_	or of easily separable materials.		<u> </u>	<u> </u>
P7.4*			ording to ISO 11469 referring ISO 1043.			Ш
P7.5			ave inlays that can be removed with commonly available tools.			
P7.6*		` ` ` ` .	ent does not apply to safety/regulatory labels).			
D= =:	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				<u> </u>	
P7.8*		be done using commonly ava				Щ.
P7.9.		available after end of produc	-			
P7.10		ble after end of production f	or: 7 years			
D7 44*		bstance requirements				
P7.11*	Material type: P	ousing material type:	terial type: PC + PS Material type:			
P7.12*			cables are halogen free (including PVC)		$\overline{}$	$\overline{}$
P7.13*			cables are halogen free (including PVC)		-	╫
P7.14		g plastic parts >25g are hald			_	╫
P7.14		t boards (without componen	•		井	井
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	, ,			
P7.16	Cover/ housing:	FR (40)	in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17		cations of flame retardants	in printed circuit boards (without components) >25g according			
	ISO 1043-4: Printed circuit bo	narde: FR (17)				
P7.18		ed material in plastic parts is	-109/			
P7.19			dant substances/preparations above 0.1% classified as R45/46,	∇		
-	R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury					
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8.1*	Batteries Product does no	t contain batteries defined a	as hazardous according to 91/157/EEC	<u> </u>		
P8.2*	T TOULGE GOES TIC		tery chemical composition: <i>Manganese dioxide lithium</i>			
P8.3	Dottorios moset ti					
P8.3		ne requirements of the follows: 87/EC & 2001/686/EC)	wing voluntary program/s: European eco-label (EU Flower)	Ш	Ш	
P9	Energy consun	nption				
9.1		the following power levels or	r energy consumptions have been measured:			
Mode	Power level at * 230Volts	Time (s) to <mode></mode>	Mode description	Referen Standar		n.a.
On-max	1680 W		* Maximum Energy Consumption	*		
On- normal	* <i>563</i> W	900 to OM	* Operating Mode	*		
On-idle	180 W	900 to Ready Mode	* Ready Mode	*		
Save 1	* 131 W	60 to LPM	* Low Power Mode	*		
Save 2	W	to	*	*		Ħ
Off 1	* 5.2 W	1800 to Off/Sleep mode	* Off/Sleep mode	*		
Off 2	W	to	*	*		H
No load	* W		External power supplies/charger plugged in but	*		H
			disconnected from the product			🖳
TEC	•	Typical Energy Consumptio	• •	*		
P9.2*	Information abou	ut the energy save function i	is provided with the product.			
P9.3			s of the following voluntary program/s:			
	ENERGY STAR			\boxtimes		
	GEEA			$\overline{\square}$	一百	一一
	GLLA					

Model number *	Aficio MP C2550		
Issue date *	21 October 2009	Logo	RICOH

	duct environmental attributes - Market requirements (continued) Requirement met						
Item P10	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No Emissions						n.a.
PIU	EIIIISSIOIIS						
	Noise emission	- Declared according to ISO 9296					
	110.00 000.0	2001a.ou aboutaing to 100 0200					
P10.1	Mode	Mode description	Declared	Declared A-weight	ed		
			A-weighted	sound pressure level L			
		sound power Operator position Bystander positions					
			level Lwad (b)	(only if	product	ic not	
				Desition	ator atte		
	Idle	* Stand-by	* 3.9	or Deskside 21.6			-
	Operation	* Operating Mode	* 6.7	48.7			-
	Operation	Operating Mode	0.7	40.7			ш
	Other mode						1
	Measured accor	ding to: SO 7779 ECMA-74					
D40.0	The second state of the second			h L _{pAm} measurement distance	m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	bllowing voluntary	program/s: TCO			\boxtimes
				Blue Angel		\vdash	
			F.	· ·		H	
			E	uropean eco.label (EU Flower)		\vdash	
				Nordic Swan			
	Chemical emiss	sions from printing products					
P10.3*	•	according to ECMA-328 standard \square , other	specify: RAL UZ		\boxtimes		
	The test covers:						
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt				
	TCO						
				Blue Angel	\boxtimes	Ш	
				Nordic Swan	\boxtimes		
	Electromagneti						
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						\boxtimes
P11	program/s: Consumable materials for printing products						
P11.1*	A Material Safety	y Data Sheet (MSDS) is available for the in-	toner preparation	n, even if not legally required			
	(see P4.3).						
P11.2*		g recycled fibres that meets the requirement		be used.	\boxtimes		
P11.3*		printing/copying is an integrated product full	nction.				
P12	Ergonomics for	computing products	EN 00044 0 7	O.C. ODT II. I			N 1
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -/, -	8 for CRT displays		Ш	
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.				\boxtimes
P12.3*		put device meets the requirements of ISO 9			Ħ	Ħ	
P13	Packaging and	documentation					
P13.1*	Product packagi	ng material type(s): Corrugated Paper	weight (kg):		\square	П	
		ng material type(s): <i>Plastic</i>	weight (kg): 1	1.463			
P13.2*		ng material type(s): backaging is halogen free (including PVC)	weight (kg):				
P13.3*	User and product documentation do not contain chlorine bleached paper					+	
P13.4*					+	+	
P14	'	, , , , , , , , , , , , , , , , , , , ,					
. 17	4 Additional information						
	-			-			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.